

MUESTRARIO

Tejidos para persianas enrollables

MONET

Mejorando el Ambiente de tu Espacio

MONET
Mejorando el Ambiente de tu Espacio

DAKU BLACKOUT

The Ultimate Blackout Collection

DAKU BLACKOUT

SILVER 0-002-11-03104

DAKU BLACKOUT

WHITE 0-002-11-01104



ASPHALT 0-002-11-01104

STONE 0-002-11-04104

IVORY 0-002-11-02104

INICIO

DAKU BLACKOUT

BUCKWHEAT 0-002-11-05104

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

INTIMATE
DAKU BLACKOUT

TECHNICAL PROPERTIES

Composition	100% PES
Weight	356 g/m² ± 12% I 10.50 oz/yd² ± 12%
Thickness	0.6 mm ± 10% I 0.024 in ± 10%
Roll Width	2.65 m I 104.3 in
UV Blockage	100 %
Light Fastness	Coated Side: 6-7/8

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Can be Railroaded

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

VERTILUX
IDEAS PARA TU ESPACIO

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

Copyright © 2021. Todos los derechos reservados.

SENSE BLACKOUT

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

SENSE BLACKOUT

GRANITE 0-002-03-00498

SENSE BLACKOUT

WHITE 0-002-03-00198

FOG 0-002-03-00398

IVORY 0-002-03-00298

SEA ICE 0-002-03-00598

INICIO

SENSE BLACKOUT

CHERRY BLOSSOMS 0-002-03-00698

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

NIGHTFALL
SENSE BLACKOUT

MONET
Mejorando el Ambiente de tu Espacio

TECHNICAL PROPERTIES

Composition	100% PES
Weight	White: 335 g/m² ± 12% | 9.88 oz/yd² ± 12% Other colors: 390 g/m² ± 12% | 11.50 oz/yd² ± 12%
Thickness	White: 0.5 mm ± 10% | 0.020 in ± 10% Other colors: 0.6 mm ± 10% | 0.024 in ± 10%
Roll Width	2.5 m | 98 in
Roll Length	White: 25 m | 27.34 yd Other colors: 20 m | 21.87 yd
UV Blockage	100%
Light Fastness	6-7 /8 Xenotest Grade

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Wipe gently with a wet sponge.
2. Vacuum clean for regular maintenance.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

INICIO

www.persianasmexico.com

MONET
Mejorando el Ambiente de tu Espacio



CAPTIVA BLACKOUT

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

CAPTIVA BLACKOUT

GREY 0-002-14-00600

CAPTIVA BLACKOUT

SAND 0-002-14-00500

WHITE 0-002-14-00100

IVORY 0-002-14-00200

COFFEE 0-002-14-00900

INICIO

CAPTIVA BLACKOUT

TAN 0-002-14-00700

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

INTIMATE
CAPTIVA BLACKOUT

MONET
Mejorando el Ambiente de tu Espacio

TECHNICAL PROPERTIES

Composition	100% PES
Weight	390 g/m² ± 5% | 11.50 oz/yd² ± 5%
Thickness	0.58 mm ± 5% | 0.023 in ± 5%
Roll Width	3.0 m | 118 in
Roll Length	30 m | 32.81 yd
UV Blockage	100%
Light Fastness	Class 5

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Wipe gently with a wet sponge.
2. Vacuum clean for regular maintenance.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

VERTILUX
IDEAS PARA TU ESPACIO

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

Copyright © 2021. Todos los derechos reservados.

MONET
Mejorando el Ambiente de tu Espacio

STUCCO BLACKOUT

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

STUCCO BLACKOUT



ASH 0-002-96-06110

STUCCO BLACKOUT

WHITE 0-002-96-01110

OFF WHITE 0-002-96-02110

LINEN 0-002-96-03110

SAND 0-002-96-04110

INICIO

STUCCO BLACKOUT

COFFEE 0-002-96-05110

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

INTIMATE
STUCCO BLACKOUT

TECHNICAL PROPERTIES

Composition	100% PES Base Cloth, Foamed Backing
Weight	360 g/m² ± 5% | 10.62 oz/yd² ± 5%
Thickness	0.48 mm ± 5% | 0.019 in ± 5%
Roll Width	2.8 m | 110 in
Tensile Strength	Warp: 860 daN/5cm ± 100 | Weft: 990 daN/5cm ± 100
Tearing Strength	Warp: 140 daN ± 30 | Weft: 230 daN ± 30
UV Blockage	100%
Light Fastness	Class 4-5

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

INICIO

www.persianasmexico.com

LANAIR BLACKOUT

The Ultimate Blackout Collection

LANAIR BLACKOUT

WHITE 0-002-99-01118

LANAIR BLACKOUT



BEIGE 0-002-99-02118

IVORY 0-002-99-04118



LIGHT GRAY 0-002-99-03118

INICIO

LANAIR BLACKOUT

MONET
Mejorando el Ambiente de tu Espacio

TECHNICAL PROPERTIES

Composition	100% PES
Weight	White: 335 g/m² ± 12% | 9.88 oz/yd² ± 12% Other colors: 390 g/m² ± 12% | 11.50 oz/yd² ± 12%
Thickness	White: 0.5 mm ± 10% | 0.020 in ± 10% Other colors: 0.6 mm ± 10% | 0.024 in ± 10%
Roll Width	2.5 m | 98 in
Roll Length	White: 25 m | 27.34 yd Other colors: 20 m | 21.87 yd
UV Blockage	100%
Light Fastness	6-7 /8 Xenotest Grade

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Wipe gently with a wet sponge.
2. Vacuum clean for regular maintenance.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING



Use Only on Roll Direction

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS



Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used

www.persianasmexico.com

IMAGINE BLACKOUT FR SANITIZED

The Ultimate Blackout Collection

IMAGINE BLACKOUT FR SANITIZED



SMOKE 0-002-82-16114

IMAGINE BLACKOUT FR SANITIZED



DOVE 0-002-82-13114

NAVY 0-002-82-09114

WHITE 0-002-82-01114

CUSTARD 0-002-82-02114

INICIO

IMAGINE BLACKOUT FR SANITIZED

SAND 0-002-82-04114

BEIGE 0-002-82-15114

COFFEE 0-002-82-06114

TAN 0-002-82-05114

IMAGINE BLACKOUT FR SANITIZED

MONET
Mejorando el Ambiente de tu Espacio

TECHNICAL PROPERTIES

Composition	100% PES
Weight	346 g/m² ± 12% | 10.2 oz/yd² ± 12%
Thickness	0.40 mm ± 10% | 0.016 in ± 10%
Roll Width	2.65 m | 104.3 in
UV Blockage	100%
Light Fastness	Coated Side: 6-7/8 Xenotest Grade
Flame Retardant	DIN 4102-1: B1
	NFPA 701: Pass
	EN 13501-1: Bs2d0
	EN 13773: Class 1
Wheelmark	IMO Resolution MSC.307(88)-(2010 FTP Code) and IMO MSC/Circ. 1102: Pass

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not use soap solution nor a damp cloth.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

Copyright © 2021. Todos los derechos reservados.

MONET
Mejorando el Ambiente de tu Espacio

SUNSET BLACKOUT

The Ultimate Blackout Collection

SUNSET BLACKOUT



LIGHT GREY 0-002-17-06118

SUNSET BLACKOUT

IVORY 0-002-17-02118 | 0-002-17-02098



BEIGE 0-002-17-03118



COFFEE 0-002-17-05118

LATTE 0-002-17-04118

INICIO

SUNSET BLACKOUT

WHITE 0-002-17-01118 | 0-002-17-01098



DARK GREY 0-002-17-07118



BLACK 0-002-17-08118

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

MUESTRARIO

Tejidos para persianas en rollables

VERTILUX
IDEAS PARA TU ESPACIO

MONET
Mejorando el Ambiente de tu Espacio

Queda prohibida la reproducción y/o edición parcial o total de este documento, ya sea en medios electrónicos, fotocopiado, escaneado o cualquier otro, sin el permiso previo y por escrito de Vertilux, así como Vertilux no se hace responsable por el mal uso de nuestro catálogo digital, el uso de copias en tejidos, mecanismos y perfiles de aluminio que no están avalados por la marca y todo uso de componentes ajenos invalida cualquier garantía parcial o total.

Copyright © 2021. Todos los derechos reservados.