MONET

Mejorando el Ambiente de tu Espacio



MUESTRARIO

Tejidos para persianas enrollables

www.persianasmexico.com

NIGHTFALL
SUNSET BLACKOUT

MONET
Mejorando el Ambiente de tu Espacio

TECHNICAL PROPERTIES

Composition	100% PES
Weight	400 g/m² ± 5% | 11.8 oz/yd² ± 5%
Thickness	0.48 mm ± 5% | 0.019 in ± 5%
Coating	Acrylic Foam Blackout Coated
Roll Width	All Colors: 3.0 m | 118 in White & Ivory: also available in 2.5 m | 98 in
UV Blockage	100%
Light Fastness	≥5

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Hand wash with cold water and a mild 5% detergent solution.
2. Wipe gently with a wet sponge.
3. Vacuum clean for regular maintenance.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

INICIO

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

MONET
Mejorando el Ambiente de tu Espacio

DAKU

DECO-STYLES

COLECCIÓN DECORATIVE

DAKU



SILVER 0-002-A9-00400

DAKU



MARENGO 0-002-A9-00600

GREY 0-002-A9-00300

BEIGE 0-002-A9-00200

INICIO

DAKU



BROWN 0-002-A9-00500

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

DECO-STYLES
DAKU

TECHNICAL PROPERTIES

Composition	100% PES
Weight	212 g/m² ± 5%
Thickness	0.42 mm ± 5%
Roll Width	2.65 m
UV Blockage	100 %
Light Fastness (Xenotest grade)	Coated Side: 6/8

SUN CONTROL PROPERTIES

COLOR	Tv (%)	Rv (%)	Av (%)
White	32	52	16
Beige	24	39	37
Grey	16	27	57
Silver	16	23	63
Brown	15	21	64
Marengo	12	18	70

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not rub
4. Do not steam.
5. Do not dry clean.

MANUFACTURING

Use Only on Rroll Direction

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS



Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

VERTILUX
IDEAS PARA TU ESPACIO
MONET
Mejorando el Ambiente de tu Espacio
www.persianasmexico.com
Copyright © 2021. Todos los derechos reservados.

MONET
Mejorando el Ambiente de tu Espacio

ASPEN FR

URBAN-CHIC

COLECCIÓN DECORATIVE

ASPEN FR



ICE 0-002-05-00200

ASPEN FR

WHITE 0-002-05-00100

MUSHROOM 0-002-05-00300

MONET
Mejorando el Ambiente de tu Espacio

URBAN-CHIC

ASPEN FR

MONET
Mejorando el Ambiente de tu Espacio

TECHNICAL PROPERTIES

Composition	100% PES
Weight	194.8 g/m² ± 5% | 5.74 oz/yd² ± 5%
Thickness	0.33 mm ± 5% | 0.012 in ± 5%
Roll Width	2.8 m | 110.2 in
Roll Length	40 m | 43.74 yd
Tensile Strength	Warp: 120 daN | Weft: 1400 daN
Light Fastness	4 Xenotest Grade

SUN CONTROL PROPERTIES*

UPF	+50 | UV-A: 0.1% | UV-B: 0.1%
UV-R Blocking	99.9%
UV-A Blocking	99.9%
UV-B Blocking	99.9%
Transmittance (Ts)	1.5%
Reflectance (Rs)	13.9%
Absorption (As)	84.6%

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD
Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

NFPA

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

PBBs Free **PBDEs Free** **Lead Free**
Cadmium Free **Mercury Free** **Chromium Free**

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

MONET
Mejorando el Ambiente de tu Espacio

XANDER

DECO-STYLES

COLECCIÓN DECORATIVE

XANDER



GREY 0-002-89-00400

XANDER

WHITE 0-002-89-00100

OFF WHITE 0-002-89-00200

IVORY 0-002-89-00300

SAND 0-002-89-00500

INICIO

XANDER

CHARCOAL 0-002-89-00600

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

DECO-STYLES
XANDER

MONET
Mejorando el Ambiente de tu Espacio

TECHNICAL PROPERTIES

Composition	100% PES
Weight	187.50 g/m² ± 5% | 5.53 oz/yd² ± 5%
Thickness	0.70 mm ± 5% | 0.027 in ± 5%
Roll Width	2.8 m | 110.2 in
Roll Length	40 m | 43.74 yd
Tensile Strength	Weft: 2753.0 daN/5cm
Tearing Strength	Weft: 41.7 daN
Light Fastness	4.5 Xenotest Grade

*Performance evaluations conducted by independent laboratories.

SUN CONTROL PROPERTIES*

UPF	50+ | UV-A: 6.2% | UV-B: 1.1%
UV-R Blocking	95.3%
UV-A Blocking	93.8%
UV-B Blocking	98.9%
Transmittance (Ts)	23.4%
Reflectance (Rs)	55.6%
Absorption (As)	21.0%

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

✓ PBBs Free ✓ PBDEs Free ✓ Lead Free
✓ Cadmium Free ✓ Mercury Free ✓ Chromium Free

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

INICIO

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

MONET
Mejorando el Ambiente de tu Espacio

TOKIO DIM OUT

URBAN-CHIC

COLECCIÓN DECORATIVE

TOKIO DIM OUT



SNOW GREY 0-002-85-00100

TOKIO DIM OUT



IVORY 0-002-85-00200

BEIGE 0-002-85-00300

URBAN-CHIC

TOKIO DIM OUT

TECHNICAL PROPERTIES

Composition	100% PES
Weight	245 g/m² ± 5% | 7.22 oz/yd² ± 5%
Thickness	0.45 mm ± 5% | 0.017 in ± 5%
Roll Width	2.8 m | 110.2 in
Roll Length	40 m | 43.74 yd
Tensile Strength	Weft: 430 daN/5cm
Tearing Strength	Weft: 0.5 daN
Light Fastness	Above 4 Xenotest Grade

*Performance evaluations conducted by independent laboratories.

SUN CONTROL PROPERTIES*

UPF	50+ | UV-A: 0.3% | UV-B: 0.1%
UV-R Blocking	99.8%
UV-A Blocking	99.7%
UV-B Blocking	99.9%
Transmittance (Ts)	0.7%
Reflectance (Rs)	40.2%
Absorption (As)	59.1%

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

PBBs Free **PBDEs Free** **Lead Free**
Cadmium Free **Mercury Free** **Chromium Free**

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

MONET
Mejorando el Ambiente de tu Espacio

ROME

DECO-STYLES

ROME

IVORY 0-002-86-02106

ROME

DESERT 0-002-86-03106



TAN 0-002-86-04106

BROWN 0-002-86-09106

COTTON 0-002-86-01106

INICIO

ROME



DARK GREY 0-002-86-17106

EBONY 0-002-86-12106

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

DECO-STYLES
ROME

MONET
Mejorando el Ambiente de tu Espacio

TECHNICAL PROPERTIES

Composition	23% PES | 77% Cotton
Weight	151 g/m² (± 5%) | 4.45 oz/yd² (± 5%)
Thickness	0.28 mm (± 5%) | 0.011 in (± 5%)
Roll Width	2.7 m | 106 in
Light Fastness	6-7/8
Dimensional Stability	<0.5%

*Performance evaluations conducted by independent laboratories.

SUNLIGHT CONTROL PROPERTIES

COLOR	Ts(%)	Rs(%)	As(%)
Brown	20	10	70
Cotton	50	37	13
Dark Grey	23	16	61
Desert	45	28	27
Ebony	15	03	82
Ivory	47	39	14
Tan	36	27	37

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Ra

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

VERTILUX
IDEAS PARA TU ESPACIO

MONET
Mejorando el Ambiente de tu Espacio

www.persianasmexico.com

Copyright © 2021. Todos los derechos reservados.

MONET
Mejorando el Ambiente de tu Espacio

MISTRAL

URBAN CHIC

COLECCIÓN DECORATIVE

MISTRAL

WHITE 0-002-52-01106

MISTRAL

BEIGE 0-002-52-02106

SAND 0-002-52-03106

TAN 0-002-52-04106

CHOCOLATE 0-002-52-05106

INICIO

MISTRAL

DARK BROWN 0-002-52-06106

www.persianasmexico.com

MUESTRARIO

Tejidos para persianas en rollables

VERTILUX
IDEAS PARA TU ESPACIO

MONET
Mejorando el Ambiente de tu Espacio

Queda prohibida la reproducción y/o edición parcial o total de este documento, ya sea en medios electrónicos, fotocopiado, escaneado o cualquier otro, sin el permiso previo y por escrito de Vertilux, así como Vertilux no se hace responsable por el mal uso de nuestro catálogo digital, el uso de copias en tejidos, mecanismos y perfiles de aluminio que no están avalados por la marca y todo uso de componentes ajenos invalida cualquier garantía parcial o total.

Copyright © 2021. Todos los derechos reservados.